

Application No. 10/049,245
Amendment

Page 3

Amendments to the Claims

Please amend the claims as follows:

1-46. (canceled)

47. (new) A method for the electrophoretic separation of particles, particularly of membrane-adherent macromolecules, the method comprising:

applying the particles to be separated on a substrate-supported membrane such that the particles are mobile across a surface of the substrate-supported membrane;

providing an electrical field having a direction that is oriented along the surface across which the particles are mobile; and

performing electrophoresis according to at least one of:

temporarily modifying at least one of the strength and the direction of the electrical field such that a resulting force acts on the particles causing

movement among the particles that depends on the length of the particles, and

using, as the substrate-supported membrane, a substrate-supported membrane having a structured surface, wherein the surface of the substrate-supported membrane is structured to provide a force acting on the particles causing movement among the particles that depends on the length of the particles.

Application No. 10/049,245
Amendment

Page 4

48. (new) A method according to claim 47, wherein the substrate-supported membrane is a fluid lipid membrane, particularly comprising at least one of the lipids activated by PEG and DAC-Chol lipids.

49. (new) A method according to claim 48, wherein the fluid lipid membrane is a cationic fluid lipid membrane.

50. (new) A method according to claim 48, wherein the fluid lipid membrane includes amphiphilic macromolecules.

51. (new) A method according to claim 48, wherein the fluid lipid membrane includes bilayers of charged lipids.

52. (new) A method according to claim 47, wherein the electrical field is a pulsed electrical field.

53. (new) A method according to claim 47, wherein the electrical field is an alternating field on which a time constant field is superimposed.

54. (new) A method according to claim 53, wherein the alternating field and the time constant field are superimposed in a crosswise manner.

Application No. 10/049,245
Amendment

Page 5

55. (new) A method according to claim 47, wherein the substrate-supported membrane includes a substrate having a surface including ribs, supporting the membrane.

56. (new) A method according to claim 55, wherein the substrate exhibits a periodicity ranging from 2 nm to 200 nm.

57. (new) A method according to claim 55, wherein the ribs have a height in the range of 1 nm to 10 nm.

58. (new) A method according to claim 55, wherein the electrical field is a time constant field having a direction that is substantially parallel to the ribs.

59. (new) A method according to claim 47, wherein said movement is a rotation.

60. (new) A method according to claim 47, wherein:
the substrate-supported membrane includes an exclusion area in which the particles are not mobile; and
the method further comprises collecting the particles at said exclusion area upon providing the electrical field prior to performing the electrophoresis.

61. (new) A method according to claim 60, wherein:
the substrate-supported membrane is a fluid lipid membrane, particularly comprising at least one of the lipids activated by PEG and DAC-Chol lipids; and

Application No. 10/049,245
Amendment

Page 6

the exclusion area is a non-fluid area of the fluid lipid membrane.

62. (new) A method of observing an electrophoretic separation, comprising:

applying the particles to be separated on a substrate-supported membrane such that the particles are mobile across a surface of the substrate-supported membrane; providing an electrical field having a direction that is oriented along the surface across which the particles are mobile;

performing electrophoresis according to at least one of

temporarily modifying at least one of the strength and the direction of the electrical field such that a resulting force acts on the particles causing movement among the particles that depends on the length of the particles, and

using, as the substrate-supported membrane, a substrate-supported membrane having a structured surface, wherein the surface of the substrate-supported membrane is structured to provide a force acting on the particles causing movement among the particles that depends on the length of the particles;

recording digitized image data of the electrophoretic movement; and

evaluating the recorded image data using a computer.

63. (new) A method according to claim 47, wherein the particles to be separated include at least one of DNA, RNA, DNA-oligomers, RNA-oligomers, and proteins.

Application No. 10/049,245
Amendment

Page 7

64. (new) A method according to claim 47, further comprising providing a pH gradient, wherein the particles migrate in the pH gradient.

65. (new) A method according to claim 64, wherein the pH gradient is provided parallel to the electrical field.

66. (new) A method according to claim 64, wherein the pH gradient is provided substantially perpendicular to the electrical field.

67. (new) A substrate-supported membrane, comprising:
a substrate and a fluid lipid membrane, wherein the fluid lipid membrane is dried up.

68. (new) A substrate-supported membrane according to claim 67, wherein the fluid lipid membrane includes cationic lipids.

69. (new) A substrate-supported membrane according to claim 67, wherein the fluid lipid membrane includes amphiphilic macromolecules.

70. (new) A substrate-supported membrane according to claim 67, wherein the fluid lipid membrane includes bilayers of charged lipids.

Application No. 10/049,245
Amendment

Page 8

71. (new) A substrate-supported membrane according to claim 67, wherein the fluid lipid membrane includes at least one non-fluid area.

72. (new) A substrate-supported membrane according to claim 67, wherein the substrate includes an optically transparent material.

73. (new) A substrate-supported membrane according to claim 72, wherein the optically transparent material includes plastic.

74. (new) A substrate-supported membrane according to claim 73, wherein the plastic includes at least one of PC, PMMA, PS, PE, and plastic formed of cyclic olefins.

75. (new) A substrate-supported membrane according to claim 72, wherein the optically transparent material includes glass.

76. (new) A microchannel electrophoresis chamber, comprising:
at least one channel having a bottom surface including a substrate-supported membrane according to claim 67; and
an electrode assembly.

77. (new) A microchannel electrophoresis chamber according to claim 76, wherein each channel has a width ranging from 1 μm to 10 mm.

Application No. 10/049,245
Amendment

Page 9

78. (new) A microchannel electrophoresis chamber according to claim 76, wherein each channel has a depth ranging from 10 nm to 20 μ m.

79. (new) A microchannel electrophoresis chamber according to claim 76, wherein the at least one channel is a plurality of channels arranged as a two-dimensional matrix.

80. (new) A microchannel electrophoresis chamber according to claim 76, wherein the electrode assembly includes an electrode disposed at each longitudinal end of each said channel.

81. (new) A microchannel electrophoresis chamber according to claim 76, wherein the electrode assembly includes an electrode extending longitudinally in the direction of the channel at each side of each channel.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.